

L Number	Hits	Search Text	DB	Time stamp
1	37	(startup adj2 file) and reboot\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 07:58
2	2	((startup adj2 file) and reboot\$4) and (@ad<=20011019 or @rlad<=20011019) and (((previously or already) adj2 installed) or (preloaded or preinstalled))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 08:02
3	34	((startup adj2 file) and reboot\$4) and (@ad<=20011019 or @rlad<=20011019) not (((startup adj2 file) and reboot\$4) and (@ad<=20011019 or @rlad<=20011019) and (((previously or already) adj2 installed) or (preloaded or preinstalled)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 08:07
4	26	((startup adj2 file) and reboot\$4) and (@ad<=20011019 or @rlad<=20011019) not (((startup adj2 file) and reboot\$4) and (@ad<=20011019 or @rlad<=20011019) and (((previously or already) adj2 installed) or (preloaded or preinstalled)))) not Baker.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 08:08
5	12351	((717/107,121,168,175-177) or (709/220-222) or (707/1,100,200) or (713/1) or (710/8)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 08:17
6	32	((717/107,121,168,175-177) or (709/220-222) or (707/1,100,200) or (713/1) or (710/8)).CCLS.) and ("ini" same (processing or pars\$4 or read\$4)) and ((installation or configuration or planning or setup) same (script or file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 08:18
7	1	((717/107,121,168,175-177) or (709/220-222) or (707/1,100,200) or (713/1) or (710/8)).CCLS.) and ("ini" same (processing or pars\$4 or read\$4)) and ((installation or configuration or planning or setup) same (script or file))) and (@ad<=20011019 or @rlad<=20011019) and (install\$4 same software) and (restart\$4 or restor\$4 or reload\$5) and (preloaded or preinstalled or (previously near2 installed))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 08:23
-	625	(@ad<=20011019 or @rlad<=20011019) and (distribut\$4 same software) and server and preload\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 13:28
-	3	("bto" or bto) adj2 (extension or file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 12:20
-	49	("ini" same processing) and ((installation or configuration) same (script or file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 08:17
-	625	(@ad<=20011019 or @rlad<=20011019) and (distribut\$4 same software) and server and preload\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 13:28
-	0	("ini" same processing) and ((installation or configuration) same (script or file))) and (@ad<=20011019 or @rlad<=20011019) and (distribut\$4 same software) and server and preload\$5 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 13:28

-	40	((("ini" same processing) and ((installation or configuration) same (script or file))) and (@ad<=20011019 or @rlad<=20011019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 13:42
-	41	(reconfigur\$5 or rearrang\$4 or relist\$4 or author\$4 or register\$4 or reload\$4) near6 ((preloaded or preinstalled or (previously near2 installed)) near5 (program or file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 15:00
-	39	((reconfigur\$5 or rearrang\$4 or relist\$4 or author\$4 or register\$4 or reload\$4) near6 ((preloaded or preinstalled or (previously near2 installed)) near5 (program or file))) and (@ad<=20011019 or @rlad<=20011019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 13:45
-	0	((("ini" same processing) and ((installation or configuration) same (script or file))) and (@ad<=20011019 or @rlad<=20011019)) and (((reconfigur\$5 or rearrang\$4 or relist\$4 or author\$4 or register\$4 or reload\$4) near6 ((preloaded or preinstalled or (previously near2 installed)) near5 (program or file))) and (@ad<=20011019 or @rlad<=20011019))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 13:42
-	12	((("ini" same processing) and ((installation or configuration) same (script or file))) and (install\$5 or distribut\$4 or authoring).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 13:47
-	11	((("ini" same processing) and ((installation or configuration) same (script or file))) and (@ad<=20011019 or @rlad<=20011019)) and (install\$5 or distribut\$4 or authoring).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 13:43
-	1	((reconfigur\$5 or rearrang\$4 or relist\$4 or author\$4 or register\$4 or reload\$4) near6 ((preloaded or preinstalled or (previously near2 installed)) near5 (program or file))) and (@ad<=20011019 or @rlad<=20011019)) and (install\$5 or distribut\$4 or authoring).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 13:44
-	3	authoring and ((preload\$5 near5 (content or program or class or file)).ab. or (preload\$5 near5 (content or program or class or file)).clm.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 13:46
-	2	(authoring and ((preload\$5 near5 (content or program or class or file)).ab. or (preload\$5 near5 (content or program or class or file)).clm.)) and (@ad<=20011019 or @rlad<=20011019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 13:46
-	530	(authoring or configuration or (manifest near file)) and (preload\$5 near5 (content or program or class or file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 13:48
-	450	((authoring or configuration or (manifest near file)) and (preload\$5 near5 (content or program or class or file))) and (@ad<=20011019 or @rlad<=20011019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 14:28
-	97	((authoring or configuration or (manifest near file)) and (preload\$5 near5 (content or program or class or file))) and (@ad<=20011019 or @rlad<=20011019)) and (install\$5 or distribut\$4 or authoring).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 13:47

-	58	((authoring or configuration or (manifest near file)) and (preload\$5 near5 (content or program or class or file))) and (@ad<=20011019 or @rlad<=20011019)) not (((authoring or configuration or (manifest near file)) and (preload\$5 near5 (content or program or class or file))) and (@ad<=20011019 or @rlad<=20011019)) and (install\$5 or distribut\$4 or authoring).ab. ) and ((@ad<=20011019 or @rlad<=20011019) and (distribut\$4 same software) and server and preload\$5 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 13:47
-	58	((authoring or configuration or (manifest near file)) and (preload\$5 near5 (content or program or class or file))) and (@ad<=20011019 or @rlad<=20011019)) not (((authoring or configuration or (manifest near file)) and (preload\$5 near5 (content or program or class or file))) and (@ad<=20011019 or @rlad<=20011019)) and (install\$5 or distribut\$4 or authoring).ab. ) and ((@ad<=20011019 or @rlad<=20011019) and (distribut\$4 same software) and server and preload\$5 )) and (authoring or configuration or (manifest near file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 13:48
-	0	("ini" or "inf") same (process\$4 or execut\$4 or pars\$4)) and (installation or configuration) and (((authoring or configuration or (manifest near file)) and (preload\$5 near5 (content or program or class or file))) and (@ad<=20011019 or @rlad<=20011019)) not (((authoring or configuration or (manifest near file)) and (preload\$5 near5 (content or program or class or file))) and (@ad<=20011019 or @rlad<=20011019)) and (install\$5 or distribut\$4 or authoring).ab. ) and ((@ad<=20011019 or @rlad<=20011019) and (distribut\$4 same software) and server and preload\$5 )) and (authoring or configuration or (manifest near file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 13:50
-	817	("ini" or "inf") same (process\$4 or execut\$4 or pars\$4)) and (installation or configuration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 13:50
-	5	((@ad<=20011019 or @rlad<=20011019) and (distribut\$4 same software) and server and preload\$5 ) and (("ini" or "inf") same (process\$4 or execut\$4 or pars\$4)) and (installation or configuration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 13:50
-	1	((rebuil\$5 or generat\$4) adj2 ((installation or ini or master or manifest or setup or INI) adj2 file)) same ((multi-source or different or heterogeneous) adj4 ((setup or ini) adj3 (script or file)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 14:28
-	9	((multi-source or different or heterogeneous) adj4 ((setup or ini) adj3 (script or file)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 14:28
-	5	((multi-source or different or heterogeneous) adj4 ((setup or ini) adj3 (script or file))) and (@ad<=20011019 or @rlad<=20011019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 15:01

-	0	(ini adj2 file) same (master adj2 ((planning or configuration) adj2 file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 14:58
-	133	((setup or "ini") adj2 file) same ((planning or configuration) adj2 file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 14:59
-	12	((setup or "ini") adj2 file) same ((planning or configuration) adj2 file)) and (preloaded or preinstalled or (previously near2 installed))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 15:02
-	84	((((authoring or configuration or (manifest near file)) and (preload\$5 near5 (content or program or class or file))) and (@ad<=20011019 or @rlad<=20011019)) and (install\$5 or distribut\$4 or authoring).ab. ) and (preloaded or preinstalled or (previously near2 installed))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 15:22
-	54	((((authoring or configuration or (manifest near file)) and (preload\$5 near5 (content or program or class or file))) and (@ad<=20011019 or @rlad<=20011019)) not (((authoring or configuration or (manifest near file)) and (preload\$5 near5 (content or program or class or file))) and (@ad<=20011019 or @rlad<=20011019)) and (install\$5 or distribut\$4 or authoring).ab. ) and ((@ad<=20011019 or @rlad<=20011019) and (distribut\$4 same software) and server and preload\$5 )) and (preloaded or preinstalled or (previously near2 installed))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 08:19
-	10	((((setup or "ini") adj2 file) same ((planning or configuration) adj2 file)) and (preloaded or preinstalled or (previously near2 installed)) ) and (@ad<=20011019 or @rlad<=20011019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 15:22
-	25	("5155847"   "5247683"   "5403639"   "5410703"   "5430878"   "5586304"   "5680548"   "5732275"   "5758154"   "5809251"   "5819295"   "5835911"   "5842024"   "5859969"   "5860012"   "5867714"   "5956513"   "5964872"   "5966540"   "5983241"   "5995977"   "6021413"   "6117187"   "6298443"   "6202206").PN.	USPAT	2004/09/25 15:15
-	57	(re-execut\$5 or rerun or reexecut\$5 or replicat\$4 or duplicat\$5) near7 (( ini or install\$6 or setup) adj3 (file or program or script))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 15:22
-	6	((re-execut\$5 or rerun or reexecut\$5 or replicat\$4 or duplicat\$5) near7 (( ini or install\$6 or setup) adj3 (file or program or script))) and (@ad<=20011019 or @rlad<=20011019) and (preloaded or preinstalled or (previously near2 installed))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 15:55
-	3	((re-execut\$5 or rerun or reexecut\$5 or replicat\$4 or duplicat\$5) near7 (( ini or install\$6 or setup) adj3 (file or program or script))) and ((setup or install or ini or inf) adj2 ( script or file )).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 15:51
-	14	4555759.URPN.	USPAT	2004/09/25 15:36

-	10	("3701972"   "3774158"   "3905023"   "4298957"   "4308582"   "4315309"   "4357680"   "4429385"   "4477880"   "4498142").PN.	USPAT	2004/09/25 15:46
-	3137	(regenerat\$4 or rebuild\$4 or reconstruct\$5 or generat\$4) near3 ((image or configuration or manifest or system ) adj2 file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 15:54
-	212	((regenerat\$4 or rebuild\$4 or reconstruct\$5 ) near3 ((image or configuration or manifest or system ) adj2 file)) and ((regenerat\$4 or rebuild\$4 or reconstruct\$5 or generat\$4) near3 ((image or configuration or manifest or system ) adj2 file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 15:54
-	2	((regenerat\$4 or rebuild\$4 or reconstruct\$5 ) near3 ((image or configuration or manifest or system ) adj2 file)) and ((regenerat\$4 or rebuild\$4 or reconstruct\$5 or generat\$4) near3 ((image or configuration or manifest or system ) adj2 file))) and (@ad<=20011019 or @rlad<=20011019) and (preloaded or preinstalled or (previously near2 installed))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 16:39
-	2	((re-execut\$5 or rerun or reexecut\$5 or replicat\$4 or duplicat\$5) near7 (( ini or install\$6 or setup) adj3 (file or program or script))) and ((regenerat\$4 or rebuild\$4 or reconstruct\$5 or generat\$4) near3 ((image or configuration or manifest or system ) adj2 file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 15:58
-	8	5870611.URPN.	USPAT	2004/09/25 16:00
-	3	(reconstruct\$4 near5 ((computer or system or configur\$6) adj2 (image or file))) and reinstall\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 16:23
-	1	((US-5924102-\$ or US-6763454-\$ or US-6202206-\$ or US-5978579-\$ or US-6564369-\$ or US-4555759-\$ or US-5355476-\$ or US-5870611-\$ or US-6526574-\$ or US-6161176-\$).did. or (US-20020085037-\$ or US-20030051010-\$).did.) and CFM (scan\$5 near6 (computer or system)) same ((preload\$4 or preinstalled or ((previously or already) near4 installed)) near2 ( application or file or program or driver))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 16:34
-	10	((scan\$5 near6 (computer or system)) same ((preload\$4 or preinstalled or ((previously or already) near4 installed)) near2 ( application or file or program or driver))) and (@ad<=20011019 or @rlad<=20011019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 16:41
-	6	((scan\$5 near6 (computer or system)) same ((preload\$4 or preinstalled or ((previously or already) near4 installed)) near2 ( application or file or program or driver))) and (@ad<=20011019 or @rlad<=20011019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 16:44
-	20	((search\$5 or inspect\$5 or examin\$5 or prescan) near6 (computer or system)) same ((preload\$4 or preinstalled or ((previously or already) near4 installed)) near2 ( application or file or program or driver))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 16:43
-	10	((search\$5 or inspect\$5 or examin\$5 or prescan) near6 (computer or system)) same ((preload\$4 or preinstalled or ((previously or already) near4 installed)) near2 ( application or file or program or driver))) and (@ad<=20011019 or @rlad<=20011019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 16:44